Tredfx DKR103

www.totaltactilez.co.nz

classic architectural group

Product Data Sheet

DKR103

Tredfx Domain Series

Aluminium safety stair nosing with carborundum

- **Carborundum insert**
- **Ramped back**
- **Folded front**
- **Pre-drilled and countersunk**

Contemporary appearance together with durability makes the Tredfx Domain series the preferred choice of many of today's specifiers. This range has now grown to include a greater choice of styles to suit a wider variety of substrates. Make your staircase safer and smart looking with these highly slip-resistant carborundum insert stair nosings. Suitable for both internal and external applications.



R14 High Slip Resistance Stair Nosings
Up to R14 high slip resistance

Quality Assurance Program

5 year warranty

Specification Guide

Install Tredfx Domain DKR103 safety stair nosing with Tredfx slip-resistant insert (insert colour) to stairs as requested in accordance with the manufacturer's recommendations, the requirements of the NCC and AS1428.1-2009.

Specifications

Length
5850mm
(Cut-to-length service available)

Application
Hard surface

Insert Colours
Black, Yellow, Mid Grey, Luminescent

Aluminium Colours
Standard: Natural Silver
Also available: Gold, Bronze & Black

W www.totaltactilez.co.nz **P** 0800 TACTILE (822 845) **F** 0800 TACTILE (822 845) **E** info@totaltactilez.co.nz

NZ HEAD OFFICE 6A Wither Road, Witherlea, Blenheim 7201
NORTH ISLAND OFFICE 73 Main Road, Makaraka, Gisborne 4010
AUCKLAND DEPOT 17 Carpenter Road, East Tamaki, Auckland 2013
CHRISTCHURCH DEPOT 101 Sturrocks Road, Casebrook, Christchurch 8051

Tredfx GKR017

www.totaltactilez.co.nz

classic architectural group



Product Data Sheet

GKR017

Tredfx Gript Series

Anti-slip step edge

- **Rugged non-slip fibreglass**
- **Ramped back**
- **Square front**

The Tredfx Gript series has been released to meet the need for a stair nosing that's able to withstand the extremes. Popular for use on fire escape stairs, oil rigs and in industrial applications, this series stands up to the toughest of tests. Tredfx Gript products are manufactured from premium fibreglass and are resistant to most chemicals. They are non-conductive, fire retardant and not affected by high levels of moisture. Ideally suited for external applications.



R14 High Slip Resistance Stair Nosings
Up to R14 high slip resistance

Quality Assurance Program

5 year warranty

Specification Guide

Install Tredfx Gript GKR017safety stair nosings (insert colour) to exterior stairs as requested in accordance with the manufacturer's recommendations and the requirements of the NCC and AS1428.1-2009.

Specifications

Length
1200mm, 2400mm, 5850mm
(Section sizes are nominal)

Application
Hard surface

Nosing Colours
Black, Yellow

W www.totaltactilez.co.nz **P** 0800 TACTILE (822 845) **F** 0800 TACTILE (822 845) **E** info@totaltactilez.co.nz

NZ HEAD OFFICE 6A Wither Road, Witherlea, Blenheim 7201
NORTH ISLAND OFFICE 73 Main Road, Makaraka, Gisborne 4010
AUCKLAND DEPOT 17 Carpenter Road, East Tamaki, Auckland 2013
CHRISTCHURCH DEPOT 101 Sturrocks Road, Casebrook, Christchurch 8051

Tredfx PBC102

www.totaltactilez.co.nz

classic architectural group



Product Data Sheet

PBC102

Tredfx Podium Series

Aluminium safety stair nosing for broadloom carpet applications

- **Ribbed polymer insert**
- **Gripper back**
- **Folded front**
- **Pre-drilled and countersunk**

Specifically developed for carpeted area applications, the Tredfx PBC102 stair nosings look great, work well and are easy to install. Designed to suit carpet with underlay, the Tredfx PBC102 provides an effective indoor safety solution. A huge offering of profile/insert colour combinations makes it suitable for use with any colour carpet.



R14 High Slip Resistance Stair Nosings
Up to R14 high slip resistance

Quality Assurance Program

5 year warranty

Specification Guide

Install Tredfx Podium PBC102 safety stair nosing with Tredfx slip-resistant insert (insert colour) to stairs as requested in accordance with the manufacturer's recommendations, the requirements of the NCC and AS1428.1-2009.

Specifications

Length
5850mm
(Cut-to-length service available)

Application
Carpet/Underlay

Insert Colours
Black, Yellow, Beige, Red, Blue, Tangerine, Light Grey, Mid Grey, Dark Grey

Aluminium Colours
Standard: Natural Silver
Also available: Gold, Bronze & Black

W www.totaltactilez.co.nz **P** 0800 TACTILE (822 845) **F** 0800 TACTILE (822 845) **E** info@totaltactilez.co.nz

NZ HEAD OFFICE 6A Wither Road, Witherlea, Blenheim 7201
NORTH ISLAND OFFICE 73 Main Road, Makaraka, Gisborne 4010
AUCKLAND DEPOT 17 Carpenter Road, East Tamaki, Auckland 2013
CHRISTCHURCH DEPOT 101 Sturrocks Road, Casebrook, Christchurch 8051

Tredfx PBD106

www.totaltactilez.co.nz

classic architectural group



Product Data Sheet

PBD106

Tredfx Podium Series

Aluminium safety stair nosing for carpet tile and direct-stick carpet applications

- **Ribbed polymer insert**
- **Gripper back**
- **Short raked front**
- **Pre-drilled and countersunk**

Specifically developed for carpeted area applications, the Tredfx PBD106 stair nosings look great, work well and are easy to install. Designed to suit direct-stick carpet and carpet tiles, the Tredfx PBD106 provides an effective indoor safety solution. A huge offering of profile/insert colour combinations makes it suitable for use with any colour carpet.



Specification Guide

Install Tredfx Podium PBC106 safety stair nosing with Tredfx slip-resistant insert (insert colour) to stairs as requested in accordance with the manufacturer's recommendations, the requirements of the NCC and AS1428.1-2009.

R14 High Slip Resistance Stair Nosings
Up to R14 high slip resistance

Quality Assurance Program

5 year warranty

Specifications

Length
5850mm
(Cut-to-length service available)

Application
Carpet tiles

Insert Colours
Black, Yellow, Beige, Red, Blue, Tangerine, Light Grey, Mid Grey, Dark Grey

Aluminium Colours
Standard: Natural Silver
Also available: Gold, Bronze & Black

W www.totaltactilez.co.nz **P** 0800 TACTILE (822 845) **F** 0800 TACTILE (822 845) **E** info@totaltactilez.co.nz

NZ HEAD OFFICE 6A Wither Road, Witherlea, Blenheim 7201
NORTH ISLAND OFFICE 73 Main Road, Makaraka, Gisborne 4010
AUCKLAND DEPOT 17 Carpenter Road, East Tamaki, Auckland 2013
CHRISTCHURCH DEPOT 101 Sturrocks Road, Casebrook, Christchurch 8051

Tredfx PBD129

www.totaltactilez.co.nz

classic architectural group



Product Data Sheet

PBD129

Tredfx Podium Series

Aluminium safety stair nosing for carpet tile and direct-stick carpet applications

- **Ribbed polymer insert**
- **Gripper back**
- **Folded front**
- **Pre-drilled and countersunk**

Specifically developed for carpeted area applications, the Tredfx PBD129 stair nosings look great, work well and are easy to install. Designed to suit direct-stick carpet and carpet tiles, the Tredfx PBD129 provides an effective indoor safety solution. A huge offering of profile/insert colour combinations makes it suitable for use with any colour carpet.



Specification Guide

Install Tredfx Podium PBD129 safety stair nosing with Tredfx slip-resistant insert (insert colour) to all stairs in accordance with the manufacturer's recommendations, the requirements of the NCC and AS1428.1-2009.

R14 High Slip Resistance Stair Nosings
Up to R14 high slip resistance

Quality Assurance Program

5 year warranty

Specifications

Length
5850mm
(Cut-to-length service available)

Application
Carpet tiles

Insert Colours
Black, Yellow, Beige, Red, Blue, Tangerine, Light Grey, Mid Grey, Dark Grey

Aluminium Colours
Standard: Natural Silver
Also available: Gold, Bronze & Black

W www.totaltactilez.co.nz **P** 0800 TACTILE (822 845) **F** 0800 TACTILE (822 845) **E** info@totaltactilez.co.nz

NZ HEAD OFFICE 6A Wither Road, Witherlea, Blenheim 7201
NORTH ISLAND OFFICE 73 Main Road, Makaraka, Gisborne 4010
AUCKLAND DEPOT 17 Carpenter Road, East Tamaki, Auckland 2013
CHRISTCHURCH DEPOT 101 Sturrocks Road, Casebrook, Christchurch 8051

Tredfx SBR103

www.totaltactilez.co.nz

classic architectural group



Product Data Sheet

SBR103

Tredfx Silhouette Series

Aluminium safety stair nosings for hard surfaces

- Ribbed polymer insert
- Ramped back
- Short raked front
- Pre-drilled and countersunk

Popular, proven and endorsed, the Tredfx Silhouette series continues to expand and improve. Loved and used by thousands since its inception, this series has stood the test of time. Ideal for retro-fitting as well as fitting to new staircases, the Tredfx Silhouette range remains superior in quality, affordable in cost and useful in application. Fit to internal or external stairs for increased safety and enhanced aesthetics.

R14 High Slip Resistance Stair Nosings
Up to R14 high slip resistance

Quality Assurance Program

5 year warranty

Specification Guide

Install Tredfx Silhouette SBR103 safety stair nosing with Tredfx slip-resistant insert (insert colour) to stairs as requested in accordance with the manufacturer's recommendations and the requirements of the NCC and AS1428.1-2009.

Specifications

Length
5850mm
(Cut-to-length service available)

Application
Hard surface

Insert Colours
Black, Yellow, Beige, Red, Blue, Tangerine, Light Grey, Mid Grey, Dark Grey

Aluminium Colours
Standard: Natural Silver
Also available: Gold, Bronze & Black

W www.totaltactilez.co.nz **P** 0800 TACTILE (822 845) **F** 0800 TACTILE (822 845) **E** info@totaltactilez.co.nz

NZ HEAD OFFICE 6A Wither Road, Witherlea, Blenheim 7201
NORTH ISLAND OFFICE 73 Main Road, Makaraka, Gisborne 4010
AUCKLAND DEPOT 17 Carpenter Road, East Tamaki, Auckland 2013
CHRISTCHURCH DEPOT 101 Sturrocks Road, Casebrook, Christchurch 8051

Tredfx SNB031

www.totaltactilez.co.nz

classic architectural group

Product Data Sheet

SNB031

Tredfx Silhouette Series

Aluminium satety stair nosing for rebated applications

- **Safety ribbed aluminium**
- **Square back**
- **Short square front**

Popular, proven and endorsed, the Tredfx Silhouette series continues to expand and improve. The SNB031 profile is specially designed for rebating into substrates or butting up to floor finishes for a flush finish. Fit to internal or external stairs for increased safety and enhanced aesthetics.



Specification Guide

Install Tredfx Silhouette SNB031 safety stair nosing, (insert anodising colour) anodised, to stairs as requested in accordance with the manufacturer's recommendations and the requirements of the NCC and AS1428.1-2009.

R14 High Slip Resistance Stair Nosings
Up to R14 high slip resistance

Quality Assurance Program

5 year warranty

Specifications

Length	5850mm (Cut-to-length service available)
Application	Hard surface
Insert Colours	N/A
Aluminium Colours	Standard: Natural Silver Also available: Black

W www.totaltactilez.co.nz **P** 0800 TACTILE (822 845) **F** 0800 TACTILE (822 845) **E** info@totaltactilez.co.nz

NZ HEAD OFFICE 6A Wither Road, Witherlea, Blenheim 7201
NORTH ISLAND OFFICE 73 Main Road, Makaraka, Gisborne 4010
AUCKLAND DEPOT 17 Carpenter Road, East Tamaki, Auckland 2013
CHRISTCHURCH DEPOT 101 Sturrocks Road, Casebrook, Christchurch 8051

Tredfx SNR019

www.totaltactilez.co.nz

classic architectural group

Product Data Sheet

SNR019

Tredfx Silhouette Series

Aluminium safety stair nosings for hard surfaces

- **Safety ribbed aluminium**
- **Ramped back**
- **Short raked front**

Popular, proven and endorsed, the Tredfx Silhouette series continues to expand and improve. Loved and used by thousands since its inception, this series has stood the test of time. Ideal for retro-fitting as well as fitting to new staircases, the Tredfx Silhouette range remains superior in quality, affordable in cost and useful in application. Fit to internal or external stairs for increased safety and enhanced aesthetics.



Specification Guide

Install Tredfx Silhouette SNR019 safety stair nosing, (insert anodising colour) anodised, to stairs as requested in accordance with the manufacturer's recommendations and the requirements of the NCC and AS1428.1-2009.

Specifications

Length
5850mm
(Cut-to-length service available)

Application
Hard surface

Insert Colours
N/A

Aluminium Colours
Standard: Natural Silver
Also available: Black

R14 High Slip Resistance Stair Nosings
Up to R14 high slip resistance

Quality Assurance Program

5 year warranty

W www.totaltactilez.co.nz **P** 0800 TACTILE (822 845) **F** 0800 TACTILE (822 845) **E** info@totaltactilez.co.nz

NZ HEAD OFFICE 6A Wither Road, Witherlea, Blenheim 7201
NORTH ISLAND OFFICE 73 Main Road, Makaraka, Gisborne 4010
AUCKLAND DEPOT 17 Carpenter Road, East Tamaki, Auckland 2013
CHRISTCHURCH DEPOT 101 Sturrocks Road, Casebrook, Christchurch 8051

Tredfx TAR113

www.totaltactilez.co.nz

classic architectural group

Product Data Sheet

TAR113

Tredfx Traxion Series

Traction bar for ramps and slippery surfaces

- **3M slip-resistant inserts**
- **Ramped edges**
- **Can also be used for stairs**

Whether used on stairs or on ramps, the Tredfx Traxion series offers high levels of slip-resistance wherever installed. Available in the rigid format of traction bars or the go-anywhere tape format, this range is an economical and simple way to minimise costly slip-and-fall accidents. All of these products are suitable for internal or external use and are highly recommended for application to all access ramps.

Specification Guide

Install Tredfx Traxion TAR113 non-slip traction bars (insert length) to ramps as requested in accordance with the manufacturers recommendations and the requirements of the NCC and AS1428.1-2009.

R14 High Slip Resistance Stair Nosings
Up to R14 high slip resistance

Quality Assurance Program

5 year warranty

Specifications

Length
1200mm, 2400mm

Application
Hard surface

Insert Colours
Black

Aluminium Colours
Standard: Natural Silver

W www.totaltactilez.co.nz **P** 0800 TACTILE (822 845) **F** 0800 TACTILE (822 845) **E** info@totaltactilez.co.nz

NZ HEAD OFFICE 6A Wither Road, Witherlea, Blenheim 7201
NORTH ISLAND OFFICE 73 Main Road, Makaraka, Gisborne 4010
AUCKLAND DEPOT 17 Carpenter Road, East Tamaki, Auckland 2013
CHRISTCHURCH DEPOT 101 Sturrocks Road, Casebrook, Christchurch 8051

Tredfx TKR016

www.totaltactilez.co.nz

classic architectural group

Product Data Sheet

TKR016

Tredfx Traxion Series

Traction bar for ramps and slippery surfaces

- **Slip-resistant carborundum**
- **Ramped edges**
- **Can also be used for stairs**

Whether used on stairs or on ramps, the Tredfx Traxion series offers high levels of slip-resistance wherever installed. Available in the rigid format of traction bars or the go-anywhere tape format, this range is an economical and simple way to minimise costly slip-and-fall accidents. All of these products are suitable for internal or external use and are highly recommended for application to all access ramps.



Specification Guide

Install Tredfx Traxion TKR016 non-slip traction bars (insert length) to ramps as requested in accordance with the manufacturers recommendations and the requirements of the NCC and AS1428.1-2009.

Specifications

Length
1200mm, 2400mm

Application
Hard surface

Profile Colours
Black, Yellow

R14 High Slip Resistance Stair Nosings
Up to R14 high slip resistance

Quality Assurance Program

5 year warranty

W www.totaltactilez.co.nz **P** 0800 TACTILE (822 845) **F** 0800 TACTILE (822 845) **E** info@totaltactilez.co.nz

NZ HEAD OFFICE 6A Wither Road, Witherlea, Blenheim 7201
NORTH ISLAND OFFICE 73 Main Road, Makaraka, Gisborne 4010
AUCKLAND DEPOT 17 Carpenter Road, East Tamaki, Auckland 2013
CHRISTCHURCH DEPOT 101 Sturrocks Road, Casebrook, Christchurch 8051